



## DATASHEET

# Logitech Rally Camera Streamline Kit

A comprehensive USB PTZ video solution

### In Session. Everywhere.

The Logitech Rally Camera Streamline Kit is a comprehensive USB PTZ video solution for hyflex learning. Educators can direct the teaching flow by switching views from the camera with wireless preset buttons. A category cable can connect and power the camera up to 100 meters away from AV equipment with simplified deployment.

### Meet Logitech Rally Camera Streamline Kit

- **Showcase different views:** Presenters can easily switch to different preset views using intuitive wireless buttons placed in context around the room, enabling them to stay in the flow while presenting and delivering an engaging experience for viewers.
- **Seamless integration:** Seamlessly integrates with most operating systems, video conferencing and video capture platforms leveraging Rally Camera.

**logitech** for education

**Clean and simple installation:** Easy to install with flexible wall and ceiling mounting. Secure “twist-to-lock” interface designed to ensure all connections remain secure and cabling is hidden. The single-cable solution offers clean and lower-cost installation using a category cable with no need for a power outlet near the camera itself.

**Easy IT management:** When used with Logitech Sync, enables better remote management and control of devices and spaces.

**Ideal for hyflex learning:** Enables easy and optimal lecture capture of educator and content views, delivering an effective learning experience for students.

## Why it matters

Research suggests when instructors appear in videos and students can clearly see body language cues and eye contact, there is better student engagement.<sup>1</sup>

Experts highlight the importance of integrating video to provide opportunities for students to connect during hybrid learning. This can help students feel a greater sense of belonging and continue to develop social-emotional skills even when not in the classroom.<sup>2</sup>

71% of undergraduate students believe a hybrid/blended course format provides a quality learning experience.<sup>3</sup>

46% of students report difficulty maintaining engagement in hybrid learning environments when visual and audio quality is poor.<sup>4</sup>







## Rally Streamline bundles



## Recommended pairings

for existing Rally Camera users + accessories



DIMENSIONS	<p><b>Rally Camera</b>            Height: 7.19 in (182.5 mm)            Width: 5.98 in (152 mm)            Depth: 5.98 in (152 mm)            Weight: 3.35 lb (1.52 kg)</p> <p><b>Camera Side Base for Rally Camera Extension Kit</b>            Diameter: 6.04 in (153.3 mm)            Height: 1.24 in (31.5 mm)            Weight: 9.02 oz (255.8 g)</p> <p><b>Control Side Box for Rally Camera Extension Kit</b>            Length: 5.30 in (134.7 mm)            Width: 4.61 in (117.2 mm)            Height: 0.90 in (22.8 mm)            Weight: 4.85 oz (137.5 g)</p> <p><b>Twist-to-Lock Mount Plate for Rally Camera Extension Kit</b>            Diameter: 5.42 in (137.6 mm)            Height: 0.73 in (18.6 mm)            Weight: 1.49 oz (42.1 g)</p> <p><b>Wall Mount for Rally Camera Extension Kit</b>            Length: 6.50 in (165 mm)            Width: 5.31 in (135 mm)            Height: 5.83 in (148 mm)            Weight: 22.58 oz (640 g) w/o cover            Weight: 22.93 oz (650 g) w/ cover</p> <p><b>1.5 in NPT Adapter for Rally Camera Extension Kit</b>            Diameter: 4.63 in (117.5 mm)            Height: 0.60 in (15.2 mm)            Weight: 7.05 oz (200 g)</p> <p><b>Rally Camera Preset Button</b>            Diameter: 2.83 in (71.9 mm)            Height: 0.60 in (15.2 mm)            Wall Mount Diameter: 2.65 in (67.2 mm)            Wall Mount Height: 0.23 in (5.80 mm)            Weight (1): 1.32 oz (37.5 g) w/button mount and w/o batteries            Weight (2): 1.52 oz (43.2 g) w/button mount and 2-CR2032 batteries            Weight: 1.30 oz (36.8 g) w/o button mount</p> <p><b>Fully Assembled Dimensions:</b></p> <p><b>Rally Camera w/Camera Side Base and Wall Mount</b>            Length: 6.97 in (177 mm)            Width: 5.83 in (148 mm)            Height: 8.27 in (210 mm)            Weight: 5.44 lb (2.47 kg) w/ cover</p> <p><b>Rally Camera w/Camera Side Base and 1.5 in NPT Adapter</b>            Length: 5.83 in (148 mm)            Width: 5.83 in (148 mm)            Height: 8.66 in (220 mm)            Weight: 4.45 lb (2.02 kg)</p>	<p><b>PORTS AND INTERFACES</b></p> <p><b>Control Side Box</b>            Front:</p> <ul style="list-style-type: none"> <li>• Reboot button</li> <li>• LED status indicator</li> </ul> <p>Rear:</p> <ul style="list-style-type: none"> <li>• USB-C (from Control Side Box to user device)</li> <li>• RJ45 to Camera Side Base</li> <li>• DC Power Connection</li> <li>• Built-in cable retention</li> <li>• Mounting slots</li> </ul> <p><b>Camera Side Base</b></p> <ul style="list-style-type: none"> <li>• Integrated USB-C cable (from Camera Side Base to Rally Camera)</li> <li>• RJ45 to Control Side Box</li> </ul> <p><b>Preset Button</b></p> <ul style="list-style-type: none"> <li>• Bluetooth® Low Energy</li> <li>• Switch mechanism to lock/unlock preset and BT pairing functionality</li> </ul>
	MOUNTING	<p><b>Control Side Box</b></p> <p><b>Mounting Slots:</b> 2 through-slots for mounting directly to the wall, table or shelf</p> <p><b>Camera Side Base</b></p> <p><b>VESA:</b> 75 x 75 mm</p> <p><b>Tripod:</b> ⅝-27 and ¼-20</p> <p><b>Twist-to-lock:</b> for mounting directly to twist-to-lock mounting plate</p> <p><b>Preset Button Mounting Plate</b></p> <p><b>Mounting Holes:</b> 2 through-holes for mounting directly to the wall or table (mounting hardware included)</p> <p><b>Adhesive Strip Placement:</b> 2 designated areas for placement of small adhesive strips 46 x 16 x 16 mm (1.8" x 0.63" x 0.63") - adhesive strips not included</p> <p><b>Wall Mount for Rally Camera Extension Kit</b></p> <p>Mount directly to a 2-gang box or standard wall surface such as drywall (mounting hardware included)</p> <p><b>1.5 in NPT Adapter for Rally Camera Extension Kit</b></p> <p><b>VESA:</b> 75 x 75 mm (mounting hardware included)</p>

<b>POWER AND CABLES</b>	<p><b>Rally Camera Extension Kit</b></p> <p><b>Power Supply Operating Voltage/Power:</b> 100-240V, 48V, 1.0A</p> <p><b>Power Supply Dimensions:</b> 2.71 x 1.33 x 2.81 in (68.9 x 33.9 x 71.3 mm)</p> <p><b>DC Cable:</b> 5 ft (1.5 m)</p> <p><b>USB-C to USB-C 2.1 Cable:</b> 6.56 ft (2 m)</p> <p><b>USB-C to USB-A 2.1 Adapter:</b> 1.46 in (37 mm)</p> <p><b>Preset Button</b> 2 x CR2032 batteries</p>	<p><b>Rally Camera Streamline Kit</b></p> <p>Rally Camera Remote Control Camera Side Base Control Side Box Control Side Box Twist-to-Lock Mounting Plate Power Adapter with regional plugs USB-C to USB-C cable w/USB-C to USB-A Adapter (length 2m) ¼-27 to ¼-20 threaded adapter Wall mount with cover and mounting hardware NPT Adapter Mount with mounting hardware 3 x Preset Buttons with button mounts (mounting hardware included) and pre-installed CR2032 batteries (w/pull tab)</p> <p><b>Rally Camera Extension Kit</b></p> <p>Camera Side Base Control Side Box Twist-to-Lock Mounting Plate Power Adapter with regional plugs USB-C to USB-C cable w/USB-C to USB-A Adapter (length 2m) ¼-27 to ¼-20 threaded adapter</p> <p><b>Wall Mount for Rally Camera Extension Kit</b></p> <p>Angled Wall Mount Magnetic Wall Mount Cover Mounting hardware</p> <p><b>1.5 in NPT Adapter for Rally Camera Extension Kit</b></p> <p>1.5" NPT Mounting Plate Mounting hardware</p> <p><b>Rally Camera Preset Button</b></p> <p>Preset Button Button Mount 2 x CR2032 coin batteries Mounting hardware</p>
<b>CAMERA</b>	<p><b>HD imaging system supports:</b> 1080p, 900p, 720p, and SD at 30 fps 1080p, 720p at 30 fps and 60 fps</p> <p><b>Smooth motorized pan, tilt and zoom:</b> Pan: ±90° Tilt: +50°/-90° 15X HD lossless zoom</p> <p><b>Field of View:</b> Diagonal: 90° Horizontal: 82.1° Vertical: 52.2°</p> <p><b>Autofocus</b></p> <p><b>Kensington security slot</b></p>	
<b>REMOTE CONTROL</b>	<p>RF remote control (line of sight not required) CR2032 battery (included)</p>	
<b>SYSTEM REQUIREMENTS</b>	<p>Windows 10 and higher macOS: two most recent versions USB 2.0 compatible devices</p> <p><b>CATEGORY CABLE SUPPORT:</b> Cat5e or better with cable diameter up to 7.4 mm. Performance and length supported will vary by cable up to 100 m.</p>	
<b>WARRANTY INFORMATION</b>	<p>2-Year Limited Hardware Warranty 1-Year and 3-Year Extended Warranty available for purchase</p>	

**logitech** for education

[logitech.com/rallycamstreamlinekit.com](https://logitech.com/rallycamstreamlinekit.com)

Contact your reseller  
or contact us at  
[www.logitech.com/education](https://www.logitech.com/education)

**Logitech Americas**  
3930 North First Street,  
San Jose, CA 95134

**Logitech Europe S.A.**  
EPFL - Quartier de l'Innovation  
Daniel Borel Innovation Center  
CH - 1015 Lausanne

**Logitech Asia Pacific Ltd.**  
Tel : 852-2821-5900  
Fax : 852-2520-2230

<sup>1</sup> Stull, A. T., Fiorella, L., & Mayer, R. E. (2020). The case for embodied instruction: The instructor as a source of attentional and social cues in video lectures. *Journal of Educational Psychology*. Advance online publication.

<sup>2</sup> Minkos, M., & Gelbar, N. (2020, November 20). Considerations for educators in supporting student learning in the midst of COVID-19.

<sup>3</sup> Kim, J., Burkhardt, A., Meyers, T. (2023). Digital Learning Pulse Survey: Student and Faculty Experience with Digital Learning. Bay View Analytics & Quality Matters.

<sup>4</sup> Alexander, B., Ashford-Rowe, K., & Barajas-Murphy, N. (2023). Digital Learning Impact Study. EDUCAUSE Review.

© 2025 Logitech. Logitech, Logi, and their logos are trademarks or registered trademarks of Logitech Europe S.A. or its affiliates in the U.S. and/or other countries. All other trademarks are the property of their respective owners.